First named inventor: Coghan Serial no. 09/681,813 Filed 6/9/2001

Attorney docket no. 1043.001US1



In the claims:

1. (currently amended) A pointing device comprising:

a housing substantially shaped to fit a finger of a user and ending in a grip, a shape of the housing and the grip promoting normal usage of a tip of the finger of the user while the finger is inserted into the housing, including touch-typing;

a click sensor disposed within an underside of the housing, the click sensor actuated by the user pressing the underside of the housing through the finger against a first external surface with sufficient force; and,

a optical sensor disposed within a surface of the housing, the optical sensor detecting relative movement of the surface of the housing along two axes against a second external surface caused by relative movement of the finger of the user to cause a pointer on a screen of a computer to correspondingly move,

wherein the first external surface and the second external surface are each external to the pointing device.

- (cancelled)
- 3. (original) The pointing device of claim 1, wherein the housing is fabricated from a flexible, glove-like material.
- 4. (currently amended) The pointing device of claim 1, wherein the finger of the user <u>as to</u> which the housing is specifically receptive is an index finger of the user.
- 5. (original) The pointing device of claim 1, further comprising:

6. Mar. 20

First named inventor: Coghan Serial no. 09/681,813 Filed 6/9/2001 Attorney docket no. 1043.001US1 Page 3

a second housing substantially shaped to fit a second finger of the user; and,

a second click sensor disposed within an underside of the second housing, the second click sensor actuated by the user pressing the underside of the second housing through the second finger against the first external surface with sufficient force.

- 6. (original) The pointing device of claim 5, further comprising a grip situated at an end of the second housing, the grip promoting normal usage of a tip of the second finger of the user.
- 7. (original) The pointing device of claim 5, wherein the second housing is fabricated from a flexible, glove-like material.
- 8. (original) The pointing device of claim 5, wherein the second finger of the user is a middle finger of the user.
- 9. (original) The pointing device of claim 1, further comprising a cable ending in a connector for connection to a corresponding connector of a computing device, such that the actuation of the click sensor and the relative movement detected by the optical sensor are registered with the computing device through the cable.
- 10. (original) The pointing device of claim 1, further comprising a wireless transceiver for wireless communication with a corresponding wireless transceiver of a computing device, such that the actuation of the click sensor and the relative movement detected by the optical sensor are registered with the computing device through the wireless communication.
- 11. (original) The pointing device of claim 10, further comprising:

First named inventor: Coghan Serial no. 09/681,813 Filed 6/9/2001 Attorney docket no. 1043.001US1 Page 4

a second housing attachable to a wrist of the user and in which the wireless transceiver is disposed; and,

a cable connecting the second housing to the housing.

- 12. (original) The pointing device of claim 11, further comprising an expansion slot disposed within the second housing and receptive to a corresponding expansion card, data stored on which is accessible to the computing device through the wireless communication.
- 13. (original) The pointing device of claim 1, wherein the first external surface and the second external surface are a same surface.
- 14. (currently amended) A pointing device comprising:

a first and a second housing, each housing substantially shaped to fit a finger of a user and ending in a grip, a shape of each housing and the grip promoting normal usage of a tip of the finger while the finger is inserted into the housing, including touch-typing;

a first and a second click sensor, each click sensor disposed within an underside of a corresponding one of the first and the second housing and actuated by the user pressing the underside of the corresponding one of the first and the second housing through the finger against a first external surface with sufficient force; and,

an optical sensor disposed within a surface of only the first housing, the optical sensor detecting relative movement of the surface of the housing against a second external surface caused by relative movement of the finger of the user that the first housing is substantially shaped to fit.

15. (original) The pointing device of claim 14, further comprising a grip situated at an end of each of the first and the second housings.

Page 5

First named inventor: Coghan Serial no. 09/681,813

Filed 6/9/2001

Attorney docket no. 1043.001US1

- 16. (original) The pointing device of claim 14, further comprising a cable ending in a connector for connection to a corresponding connector of a computing device, such that the actuation of the first and the second click sensors and the relative movement detected by the optical sensor are registered with the computing device through the cable.
- (original) The pointing device of claim 14, further comprising a wireless transceiver for 17. wireless communication with a corresponding wireless transceiver of a computing device, such that the actuation of the first and the second click sensors and the relative movement detected by the optical sensor are registered with the computing device through the wireless communication.
- 18. (currently amended) A pointing device comprising:
- a finger glove substantially shaped to fit a finger of a user and ending in a grip, a shape of the finger glove and the grip promoting normal usage of a tip of the finger of the user while the finger is inserted into the finger glove, including touch-typing;

means for detecting actuation by the user disposed within the finger glove; and, means for detecting relative movement of the finger glove against an external surface external to the pointing device.

- 19. (previously presented) The pointing device of claim 18, further comprising: a second finger glove; and, means for detecting actuation by the user disposed within the second finger glove.
- 20. (original) The pointing device of claim 18, further comprising means for registering the actuation by the user and the relative movement detected with a computing device.